

## Compare Products

<b>Code</b>	<b>71419</b>
<b>Model</b>	<b>VRx</b>



**Note**

**Dual Speed Control**  
**HI-GR Compound Proplock propeller**  
**HI-GR Compound body**  
**External charge**  
**Calypso Connect (Motor, Battery)**  
 - Top speed is delivered with fully charged battery  
 - Diver : 70kg weight, 170cm high - wet suit single 10lt tank - horizontal trim  
 - Conditions : sea water - no flow/current

## Dimensions

<b>Use</b>	RECREATIONAL
<b>Length</b>	mm 720 (inch 28.3)
<b>Width</b>	mm 340 (inch 12.9)
<b>Height</b>	mm 425 (inch 16.7)
<b>Body diameter</b>	mm 200 (inch 7.8)
<b>Weight without battery</b>	kg 11,50 (lb 24.5)
<b>Weight with battery</b>	kg 16,50 (lb 35.3)
<b>Material type</b>	Tecnopolymers/Polycarbonate

## Performance

<b>Max static thrust</b>	N 200 (lb 44.96)
<b>Top speed</b>	mt/min 65 (ft/min 213)
<b>Run time at max speed/drag</b>	min 100
<b>Run time at cruise speed</b>	min 150
<b>Maximum operational depth</b>	mt 101 (ft 331)
<b>Buoyancy/ trim</b>	Neutral/Neutral
<b>In-water usage temperature</b>	°C -5/+35 (°F +23/+95)

Runtime-range

**LITHIUM BATTERY**

SPEED	BURNTIME
FULL TRIGGER	100 MIN
CRUISE 45 MT/MIN	150 MIN

**NIMH BATTERY - ACCESSORY**

SPEED	BURNTIME
FULL TRIGGER	60 MIN
CRUISE 45 MT/MIN	100 MIN

- Top speed - thrust is delivered with fully charged battery  
 - Diver : 70kg weight, 170cm high - wet suit single 10lt tank - horizontal trim  
 - Conditions : sea water - no flow/current

**Battery type**

Battery type	LI-ion
Nominal Voltage	Volt 25,2
Nominal Capacity	Wh 512
Maximum recharging time	h 6
Charger power supply	110/220 50/60HZ

**Features**

Smartphone connect	●
External Charge	●
Battery Gauge	●
Li-ion Battery	●
Fastening device	●
Main Switch	●
Proplock Propeller	●
Speed Adjustment	●
By-pass System	
Easy Trim	●
Easy Inspect	●
New Handle Design	●
Sealed Motor Compartment	●
NBS - Neutral Buoyancy System	●
Made Salt Resistant	●
Motor Protection	●
Battery Protection	●
Certifications	●

**Features legend:**

● : standard

○ : optional

  : not available